



Luminaire


Drob-T

177-600F-10GGD/840, B




A dimmable, tilting track luminaire, whose shape is slightly reminiscent of headlights used on vintage cars. It features highbrightness LEDs with colour rendering of $Ra > 80$ or $Ra > 90$, transparent plexiglass or satin diffuser. The luminaires use adapters for the Global Track three-circuit tracks. Thanks to their minimalist design, they have lower luminous fluxes and are therefore more suitable for smaller shops with lower ceilings, such as drugstores or pharmacies. However, they can also be used in bars or less formal lobbies.

Technical drawing



Type of installation	3 circuit track
Light distribution	Direct
Luminaire shape	Circular
Colour of the luminaires	Black
Material	Aluminium
Lifetime	L80/B20 50 000 hours
Warranty	5 years
Description of luminaires	Luminaire 3 circuit track
Dimensions	$\varnothing 85 \text{ mm} \times 110 \text{ mm}$
Weight	0.5 kg
Light source	LED MODUL
DIR optical system	Reflector
Luminous flux*	2300 lm
Colour Temperature	4000 K cool white
Luminous efficacy	138 lm/W
MacAdam Light source	3
Colour rendering index	80
Beam angle	32°

Curve



Luminaire power input*	16.7 W
Connection of the luminaires	DALI
Electrical voltage	220-240V
Frequency	50/60Hz

 **CE** IP 20
*±10 %

Downloads

[Installation instructions](#)[Photos](#)

Accessories



00-00300, N
wire suspension
2000mm



00-00301, N
wire suspension
4000mm



00-00302, N
wire suspension
6000mm



00-00363, K
cable 5x1,5 2000mm



00-00364, K
cable 5x1,5 4000mm



00-00365, K
cable 5x1,5 6000mm




00-00370, B
ceiling cup 80x80x32mm




00-00370, S
ceiling cup 80x80x32mm




00-00370, W
ceiling cup 80x80x32mm




SKB10-1, grey
Track clamp, grey




SKB10-2, black
Track clamp, black




SKB10-3, white
Track clamp, white



SKB12-1, grey
Track clamp, grey



SKB12-2, black
Track clamp, black



SKB12-3, white
Track clamp, white



XTAK11-1, grey
Hook, grey




XTAK142-1, grey
Hook Base, grey




XTAK142-2, black
Hook Base, black




XTAK142-3, white
Hook Base 2mm wire,
white




XTS41-1, grey
End Cap, grey




XTS41-2, black
End Cap, black




XTS41-3, white
End Cap, white




XTSC6100-1, grey
linear DALI track 1m,
grey




XTSC6100-2, black
linear DALI track 1m,
black




XTSC6100-3, white
linear DALI track 1m,
white




XTSC611-1, grey
End feed DALI, grey




XTSC611-2, black
End feed DALI, black




XTSC611-3, white
End feed DALI, white




XTSC612-1, grey
End feed DALI, grey




XTSC612-2, black
End feed DALI, black




XTSC612-3, white
End feed DALI, white




XTSC614-1, grey
Middle feed DALI, grey




XTSC614-2, black
Middle feed DALI, black



XTSC614-3, white
Middle feed DALI, white




XTSC6200-1, grey
linear DALI track 2m,
grey




XTSC6200-2, black
linear DALI track 2m,
black




XTSC6200-3, white
linear DALI track 2m,
white




XTSC621-1, grey
Straight connector DALI,
grey




XTSC621-2, black
Straight connector DALI,
black



XTSC621-3, white
Straight connector DALI,
white




XTSC6300-1, grey
linear DALI track 3m,
grey




XTSC6300-2, black
linear DALI track 3m,
black




XTSC6300-3, white
linear DALI track 3m, white




XTSC634-1, grey
L-feed DALI, gray




XTSC634-2, black
L-feed DALI, black




XTSC634-3, white
L-feed DALI, white




XTSC635-1, grey
L-feed DALI, gray




XTSC635-2, black
L-feed DALI, black




XTSC635-3, white
L-feed DALI, white




XTSC636-2, black
T-feed DALI, black




XTSC636-3, white
T-feed DALI, white




XTSC637-1, grey
T-feed DALI, gray



XTSC637-2, black
T-feed DALI, black



XTSC637-3, white
T-feed DALI, white




XTSC638-1, grey
X-feed DALI, gray




XTSC638-2, black
X-feed DALI, black




XTSC638-3, white
X-feed DALI, white




XTSC639-1, grey
T-feed DALI, black




XTSC639-2, black
T-feed DALI, gray




XTSC639-3, white
T-feed DALI, white



XTSC640-1, grey
T-feed DALI, gray



XTSC640-2, black
T-feed DALI, black



XTSC640-3, white
T-feed DALI, white




XTSC6400-1, grey
linear DALI track 4m, gray




XTSC6400-2, black
linear DALI track 4m, black




XTSC6400-3, white
linear DALI track 4m, white




XTSCF6100-1, grey
recessed linear DALI track 1m, gray




XTSCF6100-2, black
recessed linear DALI track 1m, black




XTSCF6100-3, white
recessed linear DALI track 1m, white




XTSCF6200-1, grey
recessed linear DALI track 2m, gray




XTSCF6200-2, black
recessed linear DALI track 2m, black




XTSCF6200-3, white
recessed linear DALI track 2m, white




XTSCF6300-1, grey
recessed linear DALI track 3m, gray




XTSCF6300-2, black
recessed linear DALI track 3m, black




XTSCF6300-3, white
recessed linear DALI track 3m, white



XTSCF6400-1, grey
recessed linear DALI track 4m, gray



XTSCF6400-2, black
recessed linear DALI track 4m, black



XTSCF6400-3, white
recessed linear DALI track 4m, white



XTSV12-1, grey
Bending tool for track power wires