



## Luminaire


# Vali80

179-200S-10GGE/930, W



When we combine design with functionality, we get luminaires from the Vali80 family. These cylindrical luminaires come in pendant, surface and semi-recessed versions. You can use them to illuminate your household, business and social spaces or, for example, bars. You can choose from three basic colours – white, black and silver or pick a colour from the Halla RAL chart.

## Technical drawing



|                           |                      |
|---------------------------|----------------------|
| Type of installation      | Surface              |
| Light distribution        | Direct               |
| Luminaire shape           | Circular             |
| Colour of the luminaires  | White                |
| Material                  | Aluminium            |
| Lifetime                  | L90/B50 60 000 hours |
| Warranty                  | 5 years              |
| Description of luminaires | Luminaire surface    |
| Dimensions                | ø 80 mm × 160 mm     |
| Weight                    | 0.8 kg               |
| Light source              | LED MODUL            |
| Type of optical system    | Reflector            |
| Luminous flux*            | 1880 lm              |
| Colour Temperature        | 3000 K warm white    |
| Luminous efficacy         | 92 lm/W              |
| MacAdam Light source      | 3                    |
| Colour rendering index    | 90                   |
| Beam angle                | 18°                  |

|                              |          |
|------------------------------|----------|
| Luminaire power input*       | 20.4 W   |
| Connection of the luminaires | ON/OFF   |
| Electrical voltage           | 220-240V |
| Frequency                    | 50/60Hz  |

  IP 20

\*±10 %

## Downloads

Installation instructions



Photos

